



ELSEVIER

Animal Feed Science and Technology 69 (1997) 353–372

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Author Index, Volumes 63–69 *

- Abate, A., *see* Mbuthia, E.W. et al.
- Abodabos, A., *see* Al Jassim, R.A.M. et al.
- Acamovic, T., *see* Salawu, M.B. et al.
- Acamovic, T., *see* Salawu, M.B. et al.
- Acamovic, T., *see* Salawu, M.B. et al.
- Acciaioli, A., *see* Franci, O. et al.
- Aderibigbe, A.O., C.O.L.E. Johnson, H.P.S. Makkar, K. Becker and N. Foidl
Chemical composition and effect of heat on organic matter- and nitrogen-degradability
and some antinutritional components of *Jatropha* meal 67 (1997) 223
- Adinew, K., *see* Odenyo, A.A. et al.
- Agnew, R.E., *see* Park, R.S. et al.
- Aguilar, C., *see* Chilibraste, P. et al.
- Aharoni, Y., *see* Holzer, Z. et al.
- Aichinger, F., *see* Zollitsch, W. et al.
- Ajakaiye, A., J.O. Atteh and S. Leeson
Effects of calcium source, particle size and time on in-vitro calcium solubility of some
indigenous Nigerian mineral ingredients for poultry diets 65 (1997) 293
- Akin, D.E., W.H. Morrison III, L.L. Rigsby, G.R. Gamble, A. Sethuraman and K.-E.L.
Eriksson
Biological delignification of plant components by the white rot fungi *Ceriporiopsis*
subvermispora and *Cyathus stercoreus* 63 (1996) 305
- Al-Dehneh, A., J.T. Huber, R. Wanderley, C.B. Theurer, M. Pessarakli and D. DeYoung
Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of
dairy cows fed a high-grain or high-forage diet 68 (1997) 327
- Al-Saiady, M.Y., *see* Attia, F.M. et al.
- Alawa, J.P., *see* Kallah, Muh.S. et al.
- Alawa, J.P., *see* Lakpini, C.A.M. et al.
- Aldrich, J.M., L.A. Holden, L.D. Muller and G.A. Varga
Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ
incubation of ingredients versus diets 63 (1996) 257
- Alemán, T., *see* Nahed, J. et al.
- Al Jassim, R.A.M., F.T. Awadeh and A. Abodabos
Supplementary feeding value of urea-treated olive cake when fed to growing Awassi
lambs 64 (1997) 287
- Alsobayel, A.A., *see* Attia, F.M. et al.

* It is usual journal policy to include yearly Author and Subject Indexes in the last issue of the announced publication schedule, but that for technical reasons this was omitted from Vol 68. For this reason, the present indexes cover Vols 63–69.

- Ammerman, C.B., *see* Henry, P.R. et al.
 Ammerman, C.B., *see* Sandoval, M. et al.
 Andersen, L.M., *see* Prawirodigdo, S. et al.
 Andrighetto, I., *see* Cozzi, G. et al.
 Angulo, E., J. Brufau and E. Esteve-Garcia
 Effect of a sepiolite product on pellet durability in pig diets differing in particle size and
 in broiler starter and finisher diets 63 (1996) 25
 Antongiovanni, M., *see* Franci, O. et al.
 Archimède, H., *see* Schmidely, Ph. et al.
 Arosemena, A., *see* DePeters, E.J. et al.
 Ashbell, G., *see* Silva, A.G. et al.
 Ashes, J.R., *see* Gulati, S.K. et al.
 Ashes, J.R., *see* Gulati, S.K. et al.
 Astigarraga, L., *see* Peyraud, J.L. et al.
 Atteh, J.O., *see* Ajakaiye, A. et al.
 Attia, F.M., A.A. Alsobayel, M.S. Kriadees, M.Y. Al-Saiady and M.S. Bayoumi
 Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets . 65 (1997) 257
 Aumaitre, A., *see* Comizzoli, P. et al.
 Aumaitre, A., *see* Lizardo, R. et al.
 Avondo, M., *see* Licitra, G. et al.
 Awadeh, F.T., *see* Al Jassim, R.A.M. et al.
 Baas, T.C., *see* Thacker, P.A. et al.
 Baba, M., *see* Kallah, Muh.S. et al.
 Babatunde, G.M., *see* Onifade, A.A. et al.
 Babidis, V., *see* Christaki, E. et al.
 Bach Knudsen, K.E.
 Carbohydrate and lignin contents of plant materials used in animal feeding 67 (1997) 319
 Bach Knudsen, K.E., *see* Canibe, N. et al.
 Bach Knudsen, K.E., *see* Gdala, J. et al.
 Bae, H.D., T.A. McAllister, E.G. Kokko, F.L. Leggett, L.J. Yanke, K.D. Jakober, J.K. Ha,
 H.T. Shin and K.-J. Cheng
 Effect of silica on the colonization of rice straw by ruminal bacteria 65 (1997) 165
 Baker, R.T.M.
 The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish
 muscle 65 (1997) 35
 Balcells, J., *see* Martín-Orúe, S.M. et al.
 Ballet, N., J.M. Besle and C. Demarquilly
 Effect of ammonia and urea treatments on digestibility and nitrogen content of dehy-
 drated lucerne 67 (1997) 69
 Balogun, B.I., *see* Lakpini, C.A.M. et al.
 Baloyi, J.J., N.T. Ngongoni, J.H. Topps and P. Ndlovu
 Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves
 and stems harvested over 4 months from three sites in Zimbabwe 69 (1997) 179
 Bárcena-Gama, J.R., *see* Miranda, R.L.A. et al.
 Bárcena-Gama, J.R., *see* Roa V., M.L. et al.
 Barej, W., *see* Puchała, R. et al.
 Barnes, R.J., *see* Park, R.S. et al.
 Barresi, S., *see* Licitra, G. et al.
 Barrière, Y., *see* Tovar-Gómez, M.R. et al.
 Barton, D., *see* Porter, M.G. et al.
 Bas, P., *see* Schmidely, Ph. et al.
 Batterham, E.S., *see* Prawirodigdo, S. et al.
 Bayoumi, M.S., *see* Attia, F.M. et al.
 Becker, K., *see* Aderibigbe, A.O. et al.

- Becker, K., *see* Blümmel, M. et al.
- Becker, K., *see* Makkar, H.P.S. et al.
- Becker, K., *see* Makkar, H.P.S. et al.
- Belibasakis, N.G. and D. Tsirgogianni
Effects of niacin on milk yield, milk composition, and blood components of dairy cows
in hot weather 64 (1996) 53
- Ben-Ghedalia, D., *see* Miron, J. et al.
- Ben Salem, H., A. Nefzaoui, L. Ben Salem and J.L. Tisserand
Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed
lucerne hay-based diets. 68 (1997) 101
- Ben Salem, L., *see* Ben Salem, H. et al.
- Berardo, N., B.H. Dzowela, L. Hove and M. Odoardi
Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as
forage 69 (1997) 201
- Bernal-Santos, G., P.J. Van Soest, C.J. Sniffen and M.L. Thonney
Evaluation of praseodymium as a liquid marker in rumen turnover studies 63 (1996) 201
- Bertin, G., *see* Giger-Reverdin, S. et al.
- Berzaghi, P., *see* Cozzi, G. et al.
- Besle, J.M., *see* Ballet, N. et al.
- Bezault, N., *see* Giger-Reverdin, S. et al.
- Blas, E., *see* Fernández-Carmona, J. et al.
- Blümmel, M., H.P.S. Makkar, G. Chisanga, J. Mtimuni and K. Becker
The prediction of dry matter intake of temperate and tropical roughages from in vitro
digestibility/gas-production data, and the dry matter intake and in vitro digestibility
of African roughages in relation to ruminant liveweight gain. 69 (1997) 131
- Blümmel, M., *see* Makkar, H.P.S. et al.
- Böhme, H., *see* Flachowsky, G. et al.
- Boisen, S. and J.A. Fernández
Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro
analyses. 68 (1997) 277
- Bonsi, M.L.K., A.K. Tuah, P.O. Osuji, V.I. Nsahla and N.N. Umunna
The effect of protein supplement source or supply pattern on the intake, digestibility,
rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff
straw 64 (1996) 11
- Bosch, M.W., *see* Van der Poel, A.F.B. et al.
- Boucqué, Ch.V., *see* De Boever, J.L. et al.
- Brosh, A., *see* Holzer, Z. et al.
- Brown, D.L., *see* Wright, J.B. et al.
- Brownlee, A.G., *see* Faichney, G.J. et al.
- Brufau, J., *see* Angulo, E. et al.
- Bruni, R., *see* Franci, O. et al.
- Bryden, W.L., *see* Ravindran, V. et al.
- Buraczewska, L., *see* Gdala, J. et al.
- Butler, L.G., *see* Wheeler, R.A. et al.
- Byers, E.B., *see* Gulati, S.K. et al.
- Byers, F.M., *see* Gandi, J. et al.
- Byers, Y.G., *see* Gulati, S.K. et al.
- Calsamiglia, S., *see* Howie, S.A. et al.
- Canibe, N. and B.O. Eggum
Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of
amino acids, protein and other nutrients 64 (1997) 311
- Canibe, N. and K.E. Bach Knudsen
Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of
carbohydrates. 64 (1997) 293

- Carabaño, R., W. Motta-Ferreira, J.C. De Blas and M.J. Fraga
 Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits 65 (1997) 249
- Carmona, J., *see* Nahed, J. et al.
- Carpino, S., *see* Licitra, G. et al.
- Castañón, J.I.R., M.P. Flores and D. Pettersson
 Mode of degradation of non-starch polysaccharides by feed enzyme preparations 68 (1997) 361
- Castrillo, C., *see* Martín-Orúe, S.M. et al.
- Cervera, C., *see* Fernández-Carmona, J. et al.
- Chaney, W.R., *see* Wheeler, R.A. et al.
- Chang, S., *see* Gandi, J. et al.
- Chapoutot, P. and D. Sauvant
 Nutritive value of raw and extruded pea-rapeseed blends for ruminants 65 (1997) 59
- Chen, K.-J., *see* Chiou, P.W.-S. et al.
- Chen, K.-L., *see* Wen-shyg Chiou, P. et al.
- Chen, X.B., *see* Chikunya, S. et al.
- Cheng, K.-J., *see* Bae, H.D. et al.
- Chigwada, W., *see* Galbraith, H. et al.
- Chikunya, S., C.J. Newbold, L. Rode, X.B. Chen and R.J. Wallace
 Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep
 receiving different energy sources 63 (1996) 333
- Chilibroste, P., C. Aguilar and F. García
 Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients
 through the rumen-reticulum 68 (1997) 259
- Chiou, P.W.-S., B. Yu, S.-S. Wu and K.-J. Chen
 Effect of dietary protein source on performances and rumen characteristics of dairy
 cows 68 (1997) 339
- Chisanga, G., *see* Blümmel, M. et al.
- Christaki, E., V. Babidis, P. Florou-Paneri, D. Kufidis and A.B. Spais
 Effect of the dietary inclusion of the growth promoter avoparcin on the performance and
 carcass characteristics of growing quail 65 (1997) 287
- Christensen, D.A., *see* Mustafa, A.F. et al.
- Chriyaa, A., K.J. Moore and S.S. Waller
 Browse foliage and annual legume pods as supplements to wheat straw for sheep 66 (1997) 85
- Chriyaa, A., K.J. Moore and S.S. Waller
 Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a
 supplement to wheat straw 65 (1997) 183
- Cid, J.M., *see* Madrid, J. et al.
- Cid, J.M., *see* Madrid, J. et al.
- Cobos, P.M.A., *see* Miranda, R.L.A. et al.
- Coleman, S.W., *see* Dabo, S.M. et al.
- Comizzoli, P., J. Peiniau, C. Dutertre, P. Planquette and A. Aumaitre
 Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu*
peccari, *Tayassu tajacu*) raised in French Guyana 64 (1997) 215
- Cone, J.W., A.H. Van Gelder and F. Driehuis
 Description of gas production profiles with a three-phasic model 66 (1997) 31
- Cone, J.W., *see* Groot, J.C.J. et al.
- Corley, R.N., A. Woldeghebriel and M.R. Murphy
 Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants 68 (1997) 183
- Cottyn, B.G., *see* De Boever, J.L. et al.
- Cousins, R.J., *see* Sandoval, M. et al.
- Cozzi, G., P. Berzaghi, F. Gottardo, G. Gabai and I. Andrighetto
 Effects of feeding propylene glycol to mid-lactating dairy cows 64 (1996) 43
- Crawshaw, R., *see* Rooke, J.A. et al.

- Dabo, S.M., C.M. Taliaferro and S.W. Coleman
Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species 67 (1997) 299
- Dalzell, S.A. and H.M. Shelton
Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species 68 (1997) 353
- Dapoza, C., *see* Martín-Orúe, S.M. et al.
- Dass, R.S., *see* Toppo, S. et al.
- Dawson, L.E.R. and C.S. Mayne
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid 66 (1997) 15
- Dawson, L.E.R. and C.S. Mayne
The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage 63 (1996) 35
- Dawson, L.E.R. and R.W.J. Steen
The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle 67 (1997) 61
- Deaville, E.R., *see* Givens, D.I. et al.
- Debersaques, F.M.A., *see* Groot, J.C.J. et al.
- Deb Hovell, F.D., *see* Manyuchi, B. et al.
- De Blas, J.C., *see* Carabaño, R. et al.
- De Boever, J.L., B.G. Cottyn, D.L. De Brabander, J.M. Vanacker and Ch.V. Boucqué
Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS 66 (1997) 211
- De Brabander, D.L., *see* De Boever, J.L. et al.
- De Groote, G. and G. Huyghebaert
The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form 69 (1997) 329
- Delaby, L., *see* Delagarde, R. et al.
- Delagarde, R., J.L. Peyraud and L. Delaby
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows 66 (1997) 165
- Demarquilly, C., *see* Ballet, N. et al.
- Demeyer, D.I., *see* Mbanzamihigo, L. et al.
- Dent, J.B., *see* Herrero, M. et al.
- DePeters, E.J., J.G. Fadel and A. Arosemena
Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs 67 (1997) 127
- De Queiroz, A.C., *see* Vieira, R.A.M. et al.
- De Queiroz, A.C., *see* Vieira, R.A.M. et al.
- DeYoung, D., *see* Al-Dehneh, A. et al.
- Djouvinov, D., D. Pavlov, A. Ilchev and E. Enev
Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding 68 (1997) 287
- D'Mello, J.P.F. and A.M.C. Macdonald
Mycotoxins 69 (1997) 155
- Dominguez Bello, M.G. and A. Escobar
Rumen manipulation for the improved utilization of tropical forages 69 (1997) 91
- Donawa, A.A., *see* Lallo, C.H.O. et al.
- Doré, J., *see* Faichney, G.J. et al.
- Driehuis, F., *see* Cone, J.W. et al.
- Dunshea, F.R., *see* Prawirodigdo, S. et al.
- Dutertre, C., *see* Comizzoli, P. et al.

- Dzowela, B.H., L. Hove, B.V. Maasdorp and P.L. Mafongoya
Recent work on the establishment, production and utilization of multipurpose trees as a
feed resource in Zimbabwe 69 (1997) 1
- Dzowela, B.H., *see* Berardo, N. et al.
- Eggum, B.O., *see* Canibe, N. et al.
- Elizalde, J.C., F.J. Santini and A.M. Pasinato
The effect of stage of harvest on the process of digestion in cattle fed winter oats
indoors. II. Nitrogen digestion and microbial protein synthesis 63 (1996) 245
- Ellis, W.C., *see* Ramirez Piñeres, M.A. et al.
- Ellis, W.C., *see* Ramirez Piñeres, M.A. et al.
- Emanuelson, M., *see* Gonda, H.L. et al.
- Emile, J.C., *see* Tovar-Gómez, M.R. et al.
- Enev, E., *see* Djouvinov, D. et al.
- Eriksson, K.-E.L., *see* Akin, D.E. et al.
- Escobar, A., *see* Dominguez Bello, M.G. et al.
- Esteve-Garcia, E., *see* Angulo, E. et al.
- Faddy, M.J., *see* Kennedy, P.M. et al.
- Fadel, J.G., *see* DePeters, E.J. et al.
- Faichney, G.J., C. Poncet, B. Lassalas, J.P. Jouany, L. Millet, J. Doré and A.G. Brownlee
Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and
bacteria to nitrogen in rumen and duodenal digesta in sheep 64 (1997) 193
- Farrell, D.J., *see* Prawirodigo, S. et al.
- Faverdin, P., *see* Peyraud, J.L. et al.
- Fawcett, R.H., *see* Herrero, M. et al.
- Fernández-Carmona, J., C. Cervera and E. Blas
Prediction of the energy value of rabbit feeds varying widely in fibre content 64 (1996) 61
- Fernández, J.A., *see* Boisen, S. et al.
- Ferrara, R., *see* Miranda, R.L.A. et al.
- Ferrer, A., *see* Gandi, J. et al.
- Flachowsky, G., F. Schöne, G. Schaarmann, F. Lübke and H. Böhme
Influence of oilseeds in combination with vitamin E supplementation in the diet on
backfat quality of pigs 64 (1997) 91
- Flores, M.P., *see* Castañón, J.I.R. et al.
- Florou-Paneri, P., *see* Christaki, E. et al.
- Foidl, N., *see* Aderibigbe, A.O. et al.
- Foltýn, J., *see* Komprda, T. et al.
- Fontenot, J.P., *see* Rogers, M. et al.
- Foulkes, G.R., *see* Wilman, D. et al.
- Foulkes, G.R., *see* Wilman, D. et al.
- Fraga, M.J., *see* Carabaño, R. et al.
- Franci, O., M. Antongiovanni, A. Acciaioli, R. Bruni and A. Martini
Response surface analyses of the associative effects of lucerne hay, wheat straw and
maize gluten feed on growing lambs 67 (1997) 279
- Fransen, H.M.P., *see* Van der Poel, A.F.B. et al.
- František, J., *see* Komprda, T. et al.
- Gabai, G., *see* Cozzi, G. et al.
- Gachuri, C.K., *see* Mbuthia, E.W. et al.
- Galbraith, H., W. Chigwada, J.R. Scaife and W.R. Humphries
The effect of dietary molybdenum supplementation on tissue copper concentrations,
mohair fibre and carcass characteristics of growing Angora goats 67 (1997) 83
- Galloway, Sr., D.L., *see* Goetsch, A.L. et al.
- Gamble, G.R., *see* Akin, D.E. et al.
- Gandi, J., M.T. Holtzapple, A. Ferrer, F.M. Byers, N.D. Turner, M. Nagwani and S. Chang
Lime treatment of agricultural residues to improve rumen digestibility 68 (1997) 195

- García-Ciudad, A., A. Ruano-Ramos, B.R. Vázquez de Aldana and B. García-Criado
Interannual variations of nutrient concentrations in botanical fractions from extensively
managed grasslands 66 (1997) 257
- García-Criado, B., *see* García-Ciudad, A. et al.
- García, F., *see* Chilbroste, P. et al.
- García B., C., *see* Roa V., M.L. et al.
- Gdala, J., A.J.M. Jansman, L. Buraczewska, J. Huisman and P. Van Leeuwen
The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed
carbohydrates and dietary protein in young pigs 67 (1997) 115
- Gdala, J., H.N. Johansen, K.E. Bach Knudsen, I.H. Knap, P. Wagner and O.B. Jørgensen
The digestibility of carbohydrates, protein and fat in the small and large intestine of
piglets fed non-supplemented and enzyme supplemented diets 65 (1997) 15
- Giger-Reverdin, S., N. Bezault, D. Sauvant and G. Bertin
Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level. 63 (1996) 149
- Gill, R.J., *see* Ravindran, V. et al.
- Givens, D.I., E.R. Deaville and A.R. Moss
The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter
and nitrogen in wheat grain 66 (1997) 247
- Givens, D.I., *see* Huntington, J.A. et al.
- Givens, D.I., *see* Huntington, J.A. et al.
- Givens, D.I., *see* Huntington, J.A. et al.
- Givens, D.I., *see* Moss, A.R. et al.
- Givens, D.I., *see* Wilman, D. et al.
- Givens, D.I., *see* Wilman, D. et al.
- Glenn, E.P., *see* Swingle, R.S. et al.
- Goetsch, A.L., A.R. Patil, Z.S. Wang, K.K. Park, D.L. Galloway, Sr., J.E. Rossi and B.
Kouakou
Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or
without corn and alfalfa 66 (1997) 271
- Gonda, H.L., M. Emanuelson and M. Murphy
The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism
in dairy cows 64 (1996) 27
- González, M.S.S., *see* Miranda, R.L.A. et al.
- González M., S., *see* Roa V., M.L. et al.
- Gordon, F.J., *see* Park, R.S. et al.
- Gottardo, F., *see* Cozzi, G. et al.
- Grande, D., *see* Nahed, J. et al.
- Groot, J.C.J., J.W. Cone, B.A. Williams, F.M.A. Debersaques and E.A. Lantinga
Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant
feeds 64 (1996) 77
- Grundy, H.F., *see* Moss, A.R. et al.
- Guenter, W., *see* Igbasan, F.A. et al.
- Guenter, W., *see* Wang, G.J. et al.
- Gulati, S.K., E.B. Byers, Y.G. Byers, J.R. Ashes and T.W. Scott
Effect of feeding different fat supplements on the fatty acid composition of goat milk . . 66 (1997) 159
- Gulati, S.K., T.W. Scott and J.R. Ashes
In-vitro assessment of fat supplements for ruminants 64 (1997) 127
- Gupta, B.N., *see* Srinivas, B. et al.
- Guzzon, P., B. Stefanon, C.R. Mills and P. Susmel
Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen
fluid. 67 (1997) 37
- Gwiazda, S., *see* Szymczyk, B. et al.
- Ha, J.K., *see* Bae, H.D. et al.

- Han, Z., *see* Wang, G.J. et al.
- Hanczakowski, P., *see* Szymczyk, B. et al.
- Hanson, J., *see* Kaitho, R.J. et al.
- Henry, P.R., R.C. Littell and C.B. Ammerman
 Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep 66 (1997) 237
- Henry, P.R., *see* Sandoval, M. et al.
- Hernández, E., *see* Ramos, A.J. et al.
- Hernández, F., *see* Madrid, J. et al.
- Hernández, F., *see* Madrid, J. et al.
- Herrero, M., N.S. Jessop, R.H. Fawcett, I. Murray and J.B. Dent
 Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations 69 (1997) 281
- Holden, L.A., *see* Aldrich, J.M. et al.
- Holmes, J.H.G., *see* Wiryawan, K.G. et al.
- Holtzapple, M.T., *see* Gandi, J. et al.
- Holzer, Z., Y. Aharoni, V. Lubimov and A. Brosh
 The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle . . 64 (1997) 133
- Hood, R.L., *see* Ravindran, V. et al.
- Hossain, M.I., *see* Rahman, M.H. et al.
- Hove, L., *see* Berardo, N. et al.
- Hove, L., *see* Dzowela, B.H. et al.
- Hovell, F.D.DeB., *see* Salawu, M.B. et al.
- Hovell, F.D.DeB., *see* Salawu, M.B. et al.
- Hovell, F.D.DeB., *see* Manyuchi, B. et al.
- Howie, S.A., S. Calsamiglia and M.D. Stern
 Variation in ruminal degradation and intestinal digestion of animal byproduct proteins . . 63 (1996) 1
- Huber, J.T., *see* Al-Dehneh, A. et al.
- Huhtanen, P., *see* Rinne, M. et al.
- Huhtanen, P., *see* Rinne, M. et al.
- Huisman, J., *see* Gdala, J. et al.
- Humphries, W.R., *see* Galbraith, H. et al.
- Huntington, J.A. and D.I. Givens
 Studies on in situ degradation of feeds in the rumen. 3. The effect of freezing forages before and after rumen incubation 68 (1997) 131
- Huntington, J.A. and D.I. Givens
 Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance 64 (1997) 227
- Huntington, J.A. and D.I. Givens
 Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues 68 (1997) 115
- Huyghebaert, G.
 The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens. 68 (1997) 55
- Huyghebaert, G., *see* De Groote, G. et al.
- Hvelplund, T., *see* Madsen, J. et al.
- Hvelplund, T., *see* Mupeta, B. et al.
- Igbasan, F.A. and W. Guenter
 The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens 63 (1996) 9
- Ilchev, A., *see* Djouvinov, D. et al.
- Ingalls, J.R., *see* Undi, M. et al.
- Jaakkola, S., *see* Rinne, M. et al.

- Jaakkola, S., *see* Rinne, M. et al.
- Jacobsen, E.E., B. Skadhauge and S.-E. Jacobsen
Effect of dietary inclusion of quinoa on broiler growth performance 65 (1997) 5
- Jacobsen, S.-E., *see* Jacobsen, E.E. et al.
- Jakober, K.D., *see* Bae, H.D. et al.
- Jansman, A.J.M., *see* Gdala, J. et al.
- Jessop, N.S., *see* Herrero, M. et al.
- Jingura, R.M., *see* Sibanda, S. et al.
- Johansen, H.N., *see* Gdala, J. et al.
- Johnson, C.O.L.E., *see* Aderibigbe, A.O. et al.
- Johnson, K.D., *see* Wheeler, R.A. et al.
- Johnson, Z.B. and R.S. Sellers
Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery 68 (1997) 1
- Jørgensen, O.B., *see* Gdala, J. et al.
- Jouany, J.P., *see* Faichney, G.J. et al.
- Jouany, J.P., *see* Rogers, M. et al.
- Kaitho, R.J., N.N. Umunna, I.V. Nsahlai, S. Tamminga, J. Van Bruchem and J. Hanson
Palatability of wilted and dried multipurpose tree species fed to sheep and goats 65 (1997) 151
- Kallah, Muh.S., M. Baba, J.P. Alawa, I.R. Muhammad and R.J. Tanko
Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria 68 (1997) 153
- Kang, C.-W., *see* Nam, K.-T. et al.
- Kappers, I.E., *see* Valk, H. et al.
- Karanfil, O., *see* Odenyo, A.A. et al.
- Karanfil, O., *see* Odenyo, A.A. et al.
- Karunanandaa, K. and G.A. Varga
Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro 63 (1996) 273
- Kennedy, P.M., P.J. Toscas, M.J. Faddy and D.J. Minson
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses 66 (1997) 111
- Khazaal, K., *see* Tolera, A. et al.
- Kiela, P., *see* Puchała, R. et al.
- Kimura, E., *see* Ohshima, M. et al.
- Klobasa, F., *see* Mbuthia, E.W. et al.
- Knap, I.H., *see* Gdala, J. et al.
- Knaus, W., *see* Zollitsch, W. et al.
- Kneale, C.R., *see* Ravindran, V. et al.
- Kokko, E.G., *see* Bae, H.D. et al.
- Komprda, T., J. František, M. Štohandlová and J. Foltýn
In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages 67 (1997) 141
- Kouakou, B., *see* Goetsch, A.L. et al.
- Kovács, P.L., K.-H. Südekum and M. Stangassinger
Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake 64 (1997) 143
- Kowalski, Z.M.
Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps . 69 (1997) 289
- Kowalski, Z.M., A. Marszałek and C.R. Mills
The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen 65 (1997) 265

- Kriadees, M.S., *see* Attia, F.M. et al.
- Krishna, N., *see* Prakash, P. et al.
- Kufidis, D., *see* Christaki, E. et al.
- Lakpini, C.A.M., B.I. Balogun, J.P. Alawa, O.S. Onifade and S.M. Otaru
Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy 67 (1997) 197
- Lallo, C.H.O., R. Singh, A.A. Donawa and G. Madoo
The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions 67 (1997) 213
- Lantinga, E.A., *see* Groot, J.C.J. et al.
- Lassalas, B., *see* Faichney, G.J. et al.
- Laswai, G.H., J.N. Ocran, F.P. Lekule and F. Sundstøl
Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg 65 (1997) 45
- Lebzien, P. and Chr. Paul
Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows 68 (1997) 225
- Lee, H.-A., *see* Nam, K.-T. et al.
- Leeson, S., *see* Ajakaiye, A. et al.
- Leggett, F.L., *see* Bae, H.D. et al.
- Lekule, F.P., *see* Laswai, G.H. et al.
- Leśniewska, V., *see* Puchała, R. et al.
- Lettner, F., *see* Zollitsch, W. et al.
- Licitra, G., S. Carpino, I. Schadt, M. Avondo and S. Barresi
Forage quality of native pastures in a Mediterranean area 69 (1997) 315
- Lindberg, J.E., *see* Pettersson, Å. et al.
- Littell, R.C., *see* Henry, P.R. et al.
- Littell, R.C., *see* Sandoval, M. et al.
- Liu, J.-X., J.-A. Ye and H.-W. Ye
The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw 65 (1997) 79
- Lizardo, R., J. Peiniau and A. Aumaitre
Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities 66 (1997) 1
- Lübbe, F., *see* Flachowsky, G. et al.
- Lubimov, V., *see* Holzer, Z. et al.
- Maasdorp, B., *see* Salawu, M.B. et al.
- Maasdorp, B.V. and M. Titterton
Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value 69 (1997) 241
- Maasdorp, B.V., *see* Dzowela, B.H. et al.
- Maasdorp, B.V., *see* Masama, E. et al.
- Maasdorp, B.V., *see* Titterton, M. et al.
- Macdonald, A.M.C., *see* D'Mello, J.P.F. et al.
- Madoo, G., *see* Lallo, C.H.O. et al.
- Madrid, J., F. Hernández, M.A. Pulgar and J.M. Cid
Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats. 63 (1996) 89
- Madrid, J., F. Hernández, M.A. Pulgar and J.M. Cid
In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials 65 (1997) 129

- Madsen, J., T. Hvelplund and M.R. Weisbjerg
Appropriate methods for the evaluation of tropical feeds for ruminants 69 (1997) 53
- Madsen, J., *see* Mupeta, B. et al.
- Mafongoya, P.L., *see* Dzowela, B.H. et al.
- Mahmood, S., R. Smithard and M. Sarwar
Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative
pancreas weight and activity of digestive enzymes in male broilers 65 (1997) 215
- Makkar, H.P.S. and K. Becker
Nutritional value and antinutritional components of whole and ethanol extracted *Moringa*
oleifera leaves 63 (1996) 211
- Makkar, H.P.S., M. Blümmel and K. Becker
In vitro rumen apparent and true digestibilities of tannin-rich forages 67 (1997) 245
- Makkar, H.P.S., *see* Aderibigbe, A.O. et al.
- Makkar, H.P.S., *see* Blümmel, M. et al.
- Malafaia, P.A.M., *see* Vieira, R.A.M. et al.
- Malafaia, P.A.M., *see* Vieira, R.A.M. et al.
- Manyuchi, B., F.D. Deb Hovell, L.R. Ndlovu, J.H. Topps and A. Tigere
Feeding napier hay as supplement to sheep given poor quality natural pasture hay:
effects of level of napier hay supplement and inclusion of urea in the basal diet on
intake and digestibility 63 (1996) 123
- Manyuchi, B., F.D. Deb. Hovell, L.R. Ndlovu, J.H. Topps and A. Tigere
The use of groundnut hay as a supplement for sheep consuming poor quality natural
pasture hay 69 (1997) 17
- Manyuchi, B., *see* Wood, C.D. et al.
- Marquardt, R.R., *see* Wang, G.J. et al.
- Marszałek, A., *see* Kowalski, Z.M. et al.
- Martín-Orúe, S.M., C. Dapoza, J. Balcells and C. Castrillo
Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish
meal. 63 (1996) 341
- Martini, A., *see* Franci, O. et al.
- Masama, E., J.H. Topps, N.T. Ngongoni and B.V. Maasdorp
Effects of supplementation with foliage from the tree legumes *Acacia angustissima*,
Cajanus cajan, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake,
digestibility and nitrogen metabolism of sheep given maize stover ad libitum 69 (1997) 233
- Mathers, A.I., *see* Rooke, J.A. et al.
- Matizha, W., N.T. Ngongoni and J.H. Topps
Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Sty-*
losanthes guianensis and *Macroptilium atropurpureum* on intake digestibility, out-
flow rates, nitrogen retention and live weight gain in lambs 69 (1997) 187
- Mayne, C.S., *see* Dawson, L.E.R. et al.
- Mayne, C.S., *see* Dawson, L.E.R. et al.
- Mbanzamihigo, L., E. Vandycke and D.I. Demeyer
Degradation of methionine by rumen contents in vitro and efficiency of its protection . . 67 (1997) 339
- Mbuthia, E.W., F. Klobasa, C.K. Gachuri and A. Abate
Effect of treatment with formaldehyde and formic acid on immunoglobulin content of
stored bovine colostrum 67 (1997) 291
- Mbwile, R.P. and P. Udén
Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris*
gayana cv. Kunth) 65 (1997) 87
- Mbwile, R.P. and P. Udén
The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*,
cv Kunth) by dairy cows 66 (1997) 181
- McAllister, T.A., *see* Bae, H.D. et al.
- McKay, I., *see* Salawu, M.B. et al.

- McKinnon, J.J., *see* Mustafa, A.F. et al.
- Mehra, U.R., *see* Toppo, S. et al.
- Meissner, H.H.
Recent research on forage utilization by ruminant livestock in South Africa 69 (1997) 103
- Mendoza, M.G.D., *see* Miranda, R.L.A. et al.
- Mendoza M., G., *see* Roa V., M.L. et al.
- Mero, R.N. and P. Udén
Promising tropical grasses and legumes as feed resources in Central Tanzania. II. In
sacco rumen degradation characteristics of four grasses and legumes 69 (1997) 341
- Michalet-Doreau, B., *see* Philippeau, C. et al.
- Michalet-Doreau, B., *see* Tovar-Gómez, M.R. et al.
- Miller, H.M., *see* Wiryawan, K.G. et al.
- Millet, L., *see* Faichney, G.J. et al.
- Mills, C.R., *see* Guzzon, P. et al.
- Mills, C.R., *see* Kowalski, Z.M. et al.
- Min, B.-S., *see* Nam, K.-T. et al.
- Minson, D.J., *see* Kennedy, P.M. et al.
- Miranda, R.L.A., M.G.D. Mendoza, J.R. Bárcena-Gama, M.S.S. González, R. Ferrara,
C.M.E. Ortega and P.M.A. Cobos
Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on
parameters of ruminal fermentation 63 (1996) 289
- Miron, J. and D. Ben-Ghedalia
Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks 67 (1997) 311
- Moore, K.J., *see* Chriyaa, A. et al.
- Moore, K.J., *see* Chriyaa, A. et al.
- Morrison III, W.H., *see* Akin, D.E. et al.
- Moshtaghi-Nia, S.A., *see* Undi, M. et al.
- Moslehuddin, *see* Rahman, M.H. et al.
- Moss, A.R., D.I. Givens, H.F. Grundy and K.P.A. Wheeler
The nutritive value for ruminants of lupin seeds from determinate plants and their
replacement of soya bean meal in diets for young growing cattle 68 (1997) 11
- Moss, A.R., *see* Givens, D.I. et al.
- Moss, A.R., *see* Rooke, J.A. et al.
- Motta-Ferreira, W., *see* Carabaño, R. et al.
- Mtimuni, J., *see* Blümmel, M. et al.
- Muhammad, I.R., *see* Kallah, Muh.S. et al.
- Muller, L.D., *see* Aldrich, J.M. et al.
- Munoz, S., *see* Schmidely, Ph. et al.
- Mupangwa, J.F., N.T. Ngongoni, J.H. Topps and P. Ndlovu
Chemical composition and dry matter degradability profiles of forage legumes *Cassia*
rotundifolia cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropur-*
pureum cv. Siratro at 8 weeks of growth (pre-anthesis). 69 (1997) 167
- Mupeta, B., M.R. Weisbjerg, T. Hvelplund and J. Madsen
Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with
the mobile bag technique. 69 (1997) 271
- Murphy, M., *see* Gonda, H.L. et al.
- Murphy, M.R., *see* Corley, R.N. et al.
- Murray, I., *see* Herrero, M. et al.
- Mustafa, A.F., J.J. McKinnon, P.A. Thacker and D.A. Christensen
Effect of borage meal on nutrient digestibility and performance of ruminants and pigs . . 64 (1997) 273
- Nagwani, M., *see* Gandi, J. et al.
- Nahed, J., L. Villafuerte, D. Grande, F. Pérez-Gil, T. Alemán and J. Carmona
Fodder shrub and tree species in the Highlands of southern Mexico 68 (1997) 213

- Nam, K.-T., H.-A. Lee, B.-S. Min and C.-W. Kang
Influence of dietary supplementation with linseed and vitamin E on fatty acids,
 α -tocopherol and lipid peroxidation in muscles of broiler chicks 66 (1997) 149
- Nastis, A.S., *see* Yiakoulaki, M.D. et al.
- Ndlovu, L.R. and F.V. Nherera
Chemical composition and relationship to in vitro gas production of Zimbabwean
browsable indigenous tree species 69 (1997) 121
- Ndlovu, L.R., *see* Manyuchi, B. et al.
- Ndlovu, L.R., *see* Manyuchi, B. et al.
- Ndlovu, P., *see* Baloyi, J.J. et al.
- Ndlovu, P., *see* Mupangwa, J.F. et al.
- Nefzaoui, A., *see* Ben Salem, H. et al.
- Newbold, C.J., *see* Chikunya, S. et al.
- Newman, C.W., *see* Svihus, B. et al.
- Newman, R.K., *see* Svihus, B. et al.
- Ngongoni, N.T., *see* Baloyi, J.J. et al.
- Ngongoni, N.T., *see* Masama, E. et al.
- Ngongoni, N.T., *see* Matizha, W. et al.
- Ngongoni, N.T., *see* Mupangwa, J.F. et al.
- Nguekouo Foyette, C., *see* Teguaia, A. et al.
- Nherera, F.V., *see* Ndlovu, L.R. et al.
- Njwe, R.M., *see* Teguaia, A. et al.
- Nsahlai, I.V., *see* Kaitho, R.J. et al.
- Nsahlai, V.I., *see* Bonsi, M.L.K. et al.
- Ocran, J.N., *see* Laswai, G.H. et al.
- Odenyo, A.A., P.O. Osuji and O. Karanfil
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa 67 (1997) 169
- Odenyo, A.A., P.O. Osuji, O. Karanfil and K. Adinew
Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep . . 65 (1997) 99
- Odenyo, A.A., *see* Osuji, P.O. et al.
- Odoardi, M., *see* Berardo, N. et al.
- Ohshima, M., E. Kimura and H.-o. Yokota
A method of making good quality silage from direct cut alfalfa by spraying previously
fermented juice 66 (1997) 129
- Onifade, A.A. and G.M. Babatunde
Comparative response of broiler chicks to a high fibre diet supplemented with four
antibiotics. 64 (1997) 337
- Onifade, O.S., *see* Lakpini, C.A.M. et al.
- Ørskov, E.R., *see* Tolera, A. et al.
- Ortega, C.M.E., *see* Miranda, R.L.A. et al.
- Ortega C., M.E., *see* Roa V., M.L. et al.
- Osuji, P.O. and A.A. Odenyo
The role of legume forages as supplements to low quality roughages — ILRI experience. 69 (1997) 27
- Osuji, P.O., *see* Bonsi, M.L.K. et al.
- Osuji, P.O., *see* Odenyo, A.A. et al.
- Osuji, P.O., *see* Odenyo, A.A. et al.
- Otaru, S.M., *see* Lakpini, C.A.M. et al.
- Ouellet, D.R., J.R. Seoane, D.M. Veira and J.G. Proulx
Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient
digestibility and rumen fermentation of growing cattle fed grass silage 68 (1997) 307
- Papadoyannis, I.N., *see* Yiakoulaki, M.D. et al.
- Pardio, V.T., *see* Waliszewski, K.N. et al.
- Park, K.K., *see* Goetsch, A.L. et al.

- Park, R.S., F.J. Gordon, R.E. Agnew, R.J. Barnes and R.W.J. Steen
The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage 68 (1997) 235
- Pasinato, A.M., *see* Elizalde, J.C. et al.
- Paterson, R.T., *see* Roothaert, R.L. et al.
- Patil, A.R., *see* Goetsch, A.L. et al.
- Paul, Chr., *see* Lebzien, P. et al.
- Pavlov, D., *see* Djouvinov, D. et al.
- Pedroso, A.F., *see* Silva, A.G. et al.
- Peiniau, J., *see* Comizzoli, P. et al.
- Peiniau, J., *see* Lizardo, R. et al.
- Pereira, J.C., *see* Vieira, R.A.M. et al.
- Pereira, J.C., *see* Vieira, R.A.M. et al.
- Pérez-Gil, F., *see* Nahed, J. et al.
- Pessarakli, M., *see* Al-Dehneh, A. et al.
- Petit, H.V., *see* Plaisance, R. et al.
- Pettersson, Å. and J.E. Lindberg
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition. 66 (1997) 97
- Pettersson, D., *see* Castañón, J.I.R. et al.
- Peyraud, J.L., L. Astigarraga and P. Faverdin
Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows 64 (1997) 155
- Peyraud, J.L., *see* Delagarde, R. et al.
- Philippeau, C. and B. Michalet-Doreau
Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation 68 (1997) 25
- Plaisance, R., H.V. Petit, J.R. Seoane and R. Rioux
The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage 68 (1997) 139
- Planquette, P., *see* Comizzoli, P. et al.
- Poncet, C., *see* Faichney, G.J. et al.
- Porter, M.G. and D. Barton
A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water. 68 (1997) 67
- Prakash, P., D.V. Reddy, R. Ramachandra Reddy and N. Krishna
The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes 63 (1996) 229
- Prawirodigdo, S., E.S. Batterham, L.M. Andersen, F.R. Dunshea and D.J. Farrell
Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal 67 (1997) 205
- Proulx, J.G., *see* Ouellet, D.R. et al.
- Puchała, R., R. Zabielski, V. Leśniewska, P. Kiela and W. Barej
Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves 66 (1997) 75
- Pulgar, M.A., *see* Madrid, J. et al.
- Pulgar, M.A., *see* Madrid, J. et al.
- Rahal, A., A. Singh and M. Singh
Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars 68 (1997) 165
- Rahman, M.H., M.I. Hossain and Moslehuddin
Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions 65 (1997) 231
- Rajion, M.A., *see* Salam Abdullah, A. et al.

- Raju, A.A., C. Rose and N.M. Rao
Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases 66 (1997) 139
- Ramachandra Reddy, R., *see* Prakash, P. et al.
- Ramirez Piñeres, M.A., W.C. Ellis, G. Wu and S.C. Ricke
Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms. 65 (1997) 139
- Ramirez Piñeres, M.A., W.C. Ellis, G. Wu and S.C. Ricke
Effects of protease inhibitors on degradation of H₃[¹⁴C]-casein by ruminal microorganisms. 64 (1997) 113
- Ramos, A.J. and E. Hernández
Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review 65 (1997) 197
- Rao, N.M., *see* Raju, A.A. et al.
- Ravindran, V., R.L. Hood, R.J. Gill, C.R. Kneale and W.L. Bryden
Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets. 63 (1996) 323
- Reddy, D.V.
The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes 69 (1997) 305
- Reddy, D.V., *see* Prakash, P. et al.
- Ricke, S.C., *see* Ramirez Piñeres, M.A. et al.
- Ricke, S.C., *see* Ramirez Piñeres, M.A. et al.
- Rigsby, L.L., *see* Akin, D.E. et al.
- Rinne, M., P. Huhtanen and S. Jaakkola
Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics 67 (1997) 19
- Rinne, M., S. Jaakkola and P. Huhtanen
Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization. 67 (1997) 1
- Rioux, R., *see* Plaisance, R. et al.
- Roa V., M.L., J.R. Bárcena-Gama, S. González M., G. Mendoza M., M.E. Ortega C. and C. García B.
Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle 64 (1997) 327
- Robinson, P.H.
Evaluation of a seal by-product meal as a feedstuff for dairy cows. 63 (1996) 51
- Rode, L., *see* Chikunya, S. et al.
- Rogers, M., J.P. Jouany, P. Thivend and J.P. Fontenot
The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep 65 (1997) 113
- Romero, A., *see* Waliszewski, K.N. et al.
- Rooke, J.A., A.R. Moss, A.I. Mathers and R. Crawshaw
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries) 64 (1997) 243
- Roothaert, R.L. and R.T. Paterson
Recent work on the production and utilization of tree fodder in East Africa 69 (1997) 39
- Rose, C., *see* Raju, A.A. et al.
- Rossi, J.E., *see* Goetsch, A.L. et al.
- Rouzeau, A., *see* Schmidely, Ph. et al.
- Ruano-Ramos, A., *see* García-Ciudad, A. et al.
- Salam Abdullah, A. and M.A. Rajion
Dietary factors affecting entero–hepatic function of ruminants in the tropics. 69 (1997) 79
- Salawu, M.B., T. Acamovic, C.S. Stewart and B. Maasdorp
Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipercolic acid and polyethylene glycol on in vitro organic matter digestibility. 69 (1997) 207

- Salawu, M.B., T. Acamovic, C.S. Stewart and F.D.DeB. Hovell
 Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro 69 (1997) 67
- Salawu, M.B., T. Acamovic, C.S. Stewart, F.D.DeB. Hovell and I. McKay
 Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus 69 (1997) 219
- Sandoval, M., P.R. Henry, R.C. Littell, R.J. Cousins and C.B. Ammerman
 Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep . . 66 (1997) 223
- Santini, F.J., *see* Elizalde, J.C. et al.
- Sarwar, M., *see* Mahmood, S. et al.
- Sauvant, D., *see* Chapoutot, P. et al.
- Sauvant, D., *see* Giger-Reverdin, S. et al.
- Sauvant, D., *see* Schmidely, Ph. et al.
- Scaife, J.R., *see* Galbraith, H. et al.
- Schaarmann, G., *see* Flachowsky, G. et al.
- Schadt, I., *see* Licitra, G. et al.
- Schmidely, Ph., H. Archimède, P. Bas, A. Rouzeau, S. Munoz and D. Sauvant
 Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat 63 (1996) 163
- Schöne, F., *see* Flachowsky, G. et al.
- Scott, T.W., *see* Gulati, S.K. et al.
- Scott, T.W., *see* Gulati, S.K. et al.
- Sellers, R.S., *see* Johnson, Z.B. et al.
- Selmer-Olsen, I., *see* Svihus, B. et al.
- Seoane, J.R., *see* Ouellet, D.R. et al.
- Seoane, J.R., *see* Plaisance, R. et al.
- Sethuraman, A., *see* Akin, D.E. et al.
- Shelton, H.M., *see* Dalzell, S.A. et al.
- Shin, H.T., *see* Bae, H.D. et al.
- Sibanda, S., R.M. Jingura and J.H. Topps
 The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages 68 (1997) 295
- Silva, A.G., R.C. Wanderley, A.F. Pedrosa and G. Ashbell
 Ruminant digestion kinetics of citrus peel 68 (1997) 247
- Sinclair, F.L., *see* Thapa, B. et al.
- Sinclair, F.L., *see* Thapa, B. et al.
- Singh, A., *see* Rahal, A. et al.
- Singh, M., *see* Rahal, A. et al.
- Singh, R., *see* Lallo, C.H.O. et al.
- Skadhauge, B., *see* Jacobsen, E.E. et al.
- Smithard, R., *see* Mahmood, S. et al.
- Sniffen, C.J., *see* Bernal-Santos, G. et al.
- Soevik, T.
 Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs 65 (1997) 207
- Spais, A.B., *see* Christaki, E. et al.
- Squires, V., *see* Swingle, R.S. et al.
- Srinivas, B. and B.N. Gupta
 Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement 65 (1997) 275

- Stangassinger, M., *see* Kovács, P.L. et al.
- Steen, R.W.J., *see* Dawson, L.E.R. et al.
- Steen, R.W.J., *see* Park, R.S. et al.
- Stefanon, B., *see* Guzzon, P. et al.
- Stern, M.D., *see* Howie, S.A. et al.
- Stewart, C.S., *see* Salawu, M.B. et al.
- Stewart, C.S., *see* Salawu, M.B. et al.
- Stewart, C.S., *see* Salawu, M.B. et al.
- Štohandlová, M., *see* Komprda, T. et al.
- Südekum, K.-H., *see* Kovács, P.L. et al.
- Sundstøl, F., *see* Laswai, G.H. et al.
- Susmel, P., *see* Guzzon, P. et al.
- Svihus, B., C.W. Newman, R.K. Newman and I. Selmer-Olsen
Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan
and dietary fibre content of barley during different high moisture storage conditions . 64 (1997) 257
- Swingle, R.S., E.P. Glenn and V. Squires
Growth performance of lambs fed mixed diets containing halophyte ingredients 63 (1996) 137
- Szymczyk, B., S. Gwiazda and P. Hanczakowski
The nutritive value for rats and chicks of unextracted and defatted leaf protein
concentrates from red clover and Italian ryegrass 63 (1996) 297
- Taliaferro, C.M., *see* Dabo, S.M. et al.
- Tamminga, S., *see* Kaitho, R.J. et al.
- Tamminga, S., *see* Valk, H. et al.
- Tanko, R.J., *see* Kallah, Muh.S. et al.
- Teguia, A., R.M. Njwe and C. Nguekouo Foyette
Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*)
and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of
finishing broilers 66 (1997) 283
- Thacker, P.A. and T.C. Baas
Effects of gastric pH on the activity of exogenous pentosanase and the effect of
pentosanase supplementation of the diet on the performance of growing-finishing
pigs 63 (1996) 187
- Thacker, P.A., *see* Mustafa, A.F. et al.
- Thapa, B., D.H. Walker and F.L. Sinclair
Indigenous knowledge of the feeding value of tree fodder 67 (1997) 97
- Thapa, B., D.H. Walker and F.L. Sinclair
Indigenous knowledge of the feeding value of tree fodder 68 (1997) 37
- Theurer, C.B., *see* Al-Dehneh, A. et al.
- Thivend, P., *see* Rogers, M. et al.
- Thomas, M., D.J. Van Zuilichem and A.F.B. Van der Poel
Physical quality of pelleted animal feed. 2. contribution of processes and its conditions . 64 (1997) 173
- Thonney, M.L., *see* Bernal-Santos, G. et al.
- Tigere, A., *see* Manyuchi, B. et al.
- Tigere, A., *see* Manyuchi, B. et al.
- Tisserand, J.L., *see* Ben Salem, H. et al.
- Titterton, M. and B.V. Maasdorp
Nutritional improvement of maize silage for dairying: mixed crop silages from sole and
intercropped legumes and a long season variety of maize. 2. Ensilage 69 (1997) 263
- Titterton, M., *see* Maasdorp, B.V. et al.
- Tolera, A., K. Khazaal and E.R. Ørskov
Nutritive evaluation of some browse species 67 (1997) 181

- Toppo, S., A.K. Verma, R.S. Dass and U.R. Mehra
Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block 64 (1997) 101
- Topps, J.H.
Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates. 69 (1997) 143
- Topps, J.H., *see* Baloyi, J.J. et al.
Topps, J.H., *see* Manyuchi, B. et al.
Topps, J.H., *see* Manyuchi, B. et al.
Topps, J.H., *see* Masama, E. et al.
Topps, J.H., *see* Matizha, W. et al.
Topps, J.H., *see* Mupangwa, J.F. et al.
Topps, J.H., *see* Sibanda, S. et al.
Toscas, P.J., *see* Kennedy, P.M. et al.
Tovar-Gómez, M.R., J.C. Emile, B. Michalet-Doreau and Y. Barrière
In situ degradation kinetics of maize hybrid stalks 68 (1997) 77
- Tsirgogianni, D., *see* Belibasakis, N.G. et al.
Tuah, A.K., *see* Bonsi, M.L.K. et al.
Turner, N.D., *see* Gandi, J. et al.
Udén, P., *see* Mbwile, R.P. et al.
Udén, P., *see* Mbwile, R.P. et al.
Udén, P., *see* Mero, R.N. et al.
Umunna, N.N., *see* Bonsi, M.L.K. et al.
Umunna, N.N., *see* Kaitho, R.J. et al.
Undi, M., S.A. Moshtaghi-Nia, K.M. Wittenberg and J.R. Ingalls
A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants 63 (1996) 179
- Valk, H., I.E. Kappers and S. Tamminga
In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen. 63 (1996) 63
- Vanacker, J.M., *see* De Boever, J.L. et al.
Van Bruchem, J., *see* Kaitho, R.J. et al.
Van der Poel, A.F.B., H.M.P. Fransen and M.W. Bosch
Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs 66 (1997) 289
- Van der Poel, A.F.B., *see* Thomas, M. et al.
Vandycke, E., *see* Mbanzamihigo, L. et al.
Van Gelder, A.H., *see* Cone, J.W. et al.
Van Leeuwen, P., *see* Gdala, J. et al.
Van Soest, P.J., *see* Bernal-Santos, G. et al.
Van Zuilichem, D.J., *see* Thomas, M. et al.
Varga, G.A., *see* Aldrich, J.M. et al.
Varga, G.A., *see* Karunanandaa, K. et al.
Vázquez de Aldana, B.R., *see* García-Ciudad, A. et al.
Veira, D.M., *see* Ouellet, D.R. et al.
Verma, A.K., *see* Toppo, S. et al.
Vieira, R.A.M., J.C. Pereira, P.A.M. Malafaia and A.C. De Queiroz
Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety) 66 (1997) 197
- Vieira, R.A.M., J.C. Pereira, P.A.M. Malafaia and A.C. De Queiroz
The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen 67 (1997) 151
- Villafuerte, L., *see* Nahed, J. et al.
Wagner, P., *see* Gdala, J. et al.

- Waliszewski, K.N., A. Romero and V.T. Pardio
Use of cane condensed molasses solubles in feeding broilers. 67 (1997) 253
- Walker, D.H., *see* Thapa, B. et al.
- Walker, D.H., *see* Thapa, B. et al.
- Wallace, R.J., *see* Chikunya, S. et al.
- Waller, S.S., *see* Chriyaa, A. et al.
- Waller, S.S., *see* Chriyaa, A. et al.
- Wanderley, R., *see* Al-Dehneh, A. et al.
- Wanderley, R.C., *see* Silva, A.G. et al.
- Wang, G.J., R.R. Marquardt, W. Guenter, Z. Zhang and Z. Han
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens. 66 (1997) 47
- Wang, Z.S., *see* Goetsch, A.L. et al.
- Weisbjerg, M.R., *see* Madsen, J. et al.
- Weisbjerg, M.R., *see* Mupeta, B. et al.
- Wen-shyg Chiou, P., K.-L. Chen and B. Yu
Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens . . 67 (1997) 49
- Wheeler, K.P.A., *see* Moss, A.R. et al.
- Wheeler, R.A., W.R. Chaney, K.D. Johnson and L.G. Butler
Leucaena forage analysis using near infrared reflectance spectroscopy. 64 (1996) 1
- White, J.S.
Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage 65 (1997) 1
- Whittemore, C.T.
An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs 68 (1997) 89
- Williams, B.A., *see* Groot, J.C.J. et al.
- Wilman, D., G.R. Foulkes and D.I. Givens
A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages 63 (1996) 99
- Wilman, D., G.R. Foulkes and D.I. Givens
The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility 63 (1996) 111
- Wiryawan, K.G., H.M. Miller and J.H.G. Holmes
Mung beans (*Phaseolus aureus*) for finishing pigs 66 (1997) 297
- Wittenberg, K.M., *see* Undi, M. et al.
- Woldeghebriel, A., *see* Corley, R.N. et al.
- Wood, C.D. and B. Manyuchi
Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements 67 (1997) 265
- Wright, J.B. and D.L. Brown
Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC-MS analysis. 69 (1997) 195
- Wu, G., *see* Ramirez Piñeres, M.A. et al.
- Wu, G., *see* Ramirez Piñeres, M.A. et al.
- Wu, S.-S., *see* Chiou, P.W.-S. et al.
- Yanke, L.J., *see* Bae, H.D. et al.
- Ye, H.-W., *see* Liu, J.-X. et al.
- Ye, J.-A., *see* Liu, J.-X. et al.
- Yiakoulaki, M.D., I.N. Papadoyannis and A.S. Nastis
Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS. 67 (1997) 163

Yokota, H.-o., *see* Ohshima, M. et al.
Yu, B., *see* Chiou, P.W.-S. et al.
Yu, B., *see* Wen-shyg Chiou, P. et al.
Zabielski, R., *see* Puchała, R. et al.
Zhang, Z., *see* Wang, G.J. et al.
Zollitsch, W., W. Knaus, F. Aichinger and F. Lettner
 Effects of different dietary fat sources on performance and carcass characteristics of
 broilers 66 (1997) 63



ELSEVIER

Animal Feed Science and Technology 69 (1997) 373–415

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Subject Index, Volumes 63–69

AAS

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Acacia angustissima

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Acacia cyanophylla Lindl.

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Acacia saligna

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Acacia sp.

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Acid protease

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Adaptation

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

ADF

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Adsorption

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Aflatoxins

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Age

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Alfalfa silage

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Amaranthus hypochondriacus

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Amines

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35

Amino acid composition

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Amino acids

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Ammoniated rice straw

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Ammonia treatment

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Anaerobic fungi

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Anaerobic storage

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Analysis

Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Angora goats

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Animal byproduct protein

Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Animal drugs

Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Anthesis

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Antibiotics supplementation

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Antigrowth factor

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Antinutritional factors

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Anti-nutritionals

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Apparent digestibility

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Apparent metabolizable energy value

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Arabinoxylans

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Aspergillus oryzae

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Associative effect

Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

 α -tocopherol

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Atriplex

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Attachment

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Autoclaving

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Avoparcin

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Awassi lambs

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Bacteria

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Bacterial production

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Bacterial protein

Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Bagasse

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Bag mobility

Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Barley

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Basil

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Beef cattle

Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

Bicarbonate

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

Bio-assay method

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Bio-availability

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Bioavailability

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223

Biodegradation

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Biohydrogenation

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Biomass

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Blackgram

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Blood components

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Borage meal

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Botanical composition

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Brachystegia spiciformis

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Broiler

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Broiler chicken

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Broiler chicks

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Broiler litter

Ruminal digestion kinetics of citrus peel, 68 (1997) 247

Broiler performance

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Broilers

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Brown-midrib

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Browse

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Nutritive evaluation of some browse species, 67 (1997) 181

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Browse Plus

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Browses

Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC—MS analysis, 69 (1997) 195

Buffaloes

The catalytic effect of supplementation of protein meals on utilization of rice straw–poultry droppings–rice bran diet in buffaloes, 63 (1996) 229

The effect of supplementation of legume straws on utilisation of rice straw–poultry droppings–rice bran–fish meal based diet in buffaloes, 69 (1997) 305

By-product feedstuffs

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

By-products

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Cajanus cajan

Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

Calcium source

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Ca-level

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Calf

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Calliandra calothyrsus

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipercolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Canola meal

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Carbohydrates

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Digestibility of dried and toasted peas in pigs. 1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Carcass characteristics

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Carotenoids

The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Ca salts of fatty acids

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Ca soaps of rapeseed fatty acids

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Cassia

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Catalytic level

The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes, 63 (1996) 229

Catfish

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Cattle

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II.

Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Cecum

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Cellulose

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Cell wall

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Cell wall degradation

A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99

The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111

Chamaecytisus palmensis

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Chemical analysis

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Chemical composition

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv.

Siratiro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Chemical preservation

Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

Chemical quality

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Chicken intestines

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Chicks feeding

The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Chinese milk vetch silage

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

Cholesterol

Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257

Chromic oxide

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Ciliate protozoa

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Cloning

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Coating

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Cobalt

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Collared peccary

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Colostrum

Effect of treatment with formaldehyde and formic acid on immunoglobulin content of stored bovine colostrum, 67 (1997) 291

Columbus grass

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Comparative slaughter

Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Complete diets

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Composition

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Concentrate

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Condensed tannin analysis

Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353

Condensed tannins

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Conditioning

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Cooling

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Copper

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Correlation

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Costa Rica

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Cottonseed meal

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Creatinine

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Crude enzymes

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Crude protein

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Cultivar

Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Curve fitting

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Dairy cow

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Dairy cows

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Evaluation of a seal by-product meal as a feed-stuff for dairy cows, 63 (1996) 51

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Dairy goat

Nutritive value of raw and extruded pea–rape-seed blends for ruminants, 65 (1997) 59

Dairying

Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Dairy ruminants

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Deamination

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Degradability

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Studies on in situ degradation of feeds in the rumen. 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Degradability in sacco

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Degradation

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Dehulling

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Dehydrated lucerne

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Delignification

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Detergent fibre

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Determination

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Diaryliodonium

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Diceros bicornis

Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC—MS analysis, 69 (1997) 195

Dietary factors

Dietary factors affecting entero—hepatic function of ruminants in the tropics, 69 (1997) 79

Dietary fat

Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Dietary fibre

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Digesta markers

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Digestibility

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Digestible lysine and methionine

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Digestion

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

Digestion kinetics

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Digestive enzymes

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Disappearance

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

DM degradability in sacco

Nutritive evaluation of some browse species, 67 (1997) 181

Drug assays

Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Dry

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Drying

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Dry matter and nitrogen degradability

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Dry matter degradability (DMD)

Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Duodenal protein

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Duodenum

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Durability

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Efficiency

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Elephant-grass

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Energetic supplement

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Energy

Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Energy and protein value

The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Energy efficiency

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Energy/protein requirements

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Energy requirements

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Energy value

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Nutritive value of raw and extruded pea-rape-seed blends for ruminants, 65 (1997) 59

Ensiling

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Entero—hepatic function

Dietary factors affecting entero—hepatic function of ruminants in the tropics, 69 (1997) 79

Enzyme

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Enzyme addition

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Enzymes

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

The effect of a wheat–fat–interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Essential fatty acids

Identification of 18:3(*n*-3) linolenic acid, 18:3(*n*-6) linolenic acid and 18:2(*n*-6) linoleic acid in Zimbabwean browses preferred by wild black rhinoceroses (*Diceros bicornis*) determined by GC–MS analysis, 69 (1997) 195

Ethiopian highland sheep

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Ewe

Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

Exogenous enzymes

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Expander conditioning

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Expander treatment

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Extrusion

Nutritive value of raw and extruded pea–rape-seed blends for ruminants, 65 (1997) 59

Exudative moisture loss

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Fat

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

The effect of a wheat–fat–interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Fat application

Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Fat content and secretion

Nutritive value of raw and extruded pea–rape-seed blends for ruminants, 65 (1997) 59

Fat supplements

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

Fatty acid composition

Nutritive value of raw and extruded pea–rape-seed blends for ruminants, 65 (1997) 59

Fatty acid pattern

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

Fatty acids

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Feed

Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery, 68 (1997) 1

Effects of different dietary fat sources on performance and carcass characteristics of broilers, 66 (1997) 63

Feed additives

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Feed efficiency

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Feed evaluation

An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

Feed form

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Feeding

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Feeding value

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

Feed intake

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Feed interactions

Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265

Feed particles

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Feed processing

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Feed resource

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Feedstuffs

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Mycotoxins, 69 (1997) 155

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Fermentation pattern

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Fermentation

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Fermentation profile

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Fermented alfalfa juice

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Ferrous sulphate

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45

Fertiliser nitrogen

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Fertilization

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Fertilizer

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Fibre

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61

Fibre degradation

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Fibrobacter succinogenes

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Finishing broilers

Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

First trimester

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Fish protein

Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

Fodder

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Fodder-production potential

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Fodder trees

Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Fodder utilization

Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Forage

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Ensiling quality of columbus grass (*Sorghum almum*) grown in northern Nigeria, 68 (1997) 153

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271

Studies on in situ degradation of feeds in the rumen. 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

Forage quality

Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

Forages

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Fragmentation

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Freezing

Studies on in situ degradation of feeds in the rumen. 3. The effect of freezing forages before and after rumen incubation, 68 (1997) 131

Fresh forage

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Fungal contamination

Mycotoxins, 69 (1997) 155

Fungal sporangia

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Fungi

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

α -Galactosidase

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Gas production

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipercolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Gas production in vitro

Nutritive evaluation of some browse species, 67 (1997) 181

General feed mixtures

Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Generation time

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Genotype

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Goat

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Goats

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Grain legumes

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Grain replacement

The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Grass

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Grasses

Promising tropical grasses and legumes as feed resources in Central Tanzania. II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Grassland

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Grass maturity

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Grass silage

A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Grazing

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Grazing behaviour

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Greengram

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Groundnut hay

The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Growing calves

The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Growing cattle

The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Growing lambs

Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Growing pigs

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Growth

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Growth performance

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45

Growth rate

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

pH

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Haematological status

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Halophytes

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Hardness

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Hay preservation

Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Heat treatment

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Heifers

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

High fibre diets

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Highlands

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Hindgut digestion

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

HSCAS

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

Hydrated sodium calcium aluminosilicate

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 259

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

The effect of spreading sodium bicarbonate over the surface of grass silage on the intake of grass silages by beef cattle, 67 (1997) 61

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Intake level

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Intake prediction

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Interannual variations

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Intercropping

Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Intestinal digestibility

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Intestinal digestion

Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

In vitro

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

In vitro gas production

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265

In vitro rumen nitrogen degradability

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

In vitro rumen protein degradability

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

In vitro techniques

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

In vivo

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

In vivo digestibility

Nutritive value of raw and extruded pea-rape-seed blends for ruminants, 65 (1997) 59

Jatropha curcas

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Karl Fischer titration

A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67

Kinetics

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Kinetics of fermentation

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Kudzu (*Pueraria lobata*)

Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183

Lablab

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Lactic acid

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

Lactic acid bacteria

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Lag phase

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Lamb performance

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Lambs

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Layer

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Leaf protein

The nutritive value for rats and chicks of unextracted and defatted leaf protein concentrates from red clover and Italian ryegrass, 63 (1996) 297

Leaves

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Lectin

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Leghorn and broiler chickens

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Legume

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Legume forage

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Legumes

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Promising tropical grasses and legumes as feed resources in Central Tanzania. II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Legume straws

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Legume supplements

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Leucaena

Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353

Leucaena

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the

digestibility of dietary components and growth of pigs over the weight range 20–60 kg, 65 (1997) 45

Leucaena pallida

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Lignin

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Lime

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Linseed

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Liquid marker

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Liquid potato feed

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Liver function

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Liveweight

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Live weight gain

Effect of supplementing veld hay with tropical legumes *Desmodium uncinatum*, *Stylosanthes guianensis* and *Macroptilium atropurpureum* on intake digestibility, outflow rates, nitrogen retention and live weight gain in lambs, 69 (1997) 187

Liveweight gain

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Low-molecular weight sugars

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Lucerne

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Lucerne hay

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Lupin seeds

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11

Maize

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages, 68 (1997) 295

Maize-legume silage

Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

Maize silage

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

Maize stover

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Manipulation of milk fatty acids

Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Mathematical models

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Maturity

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Meal

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Mean retention time

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Mediterranean area

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Metabolism

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Methionine

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Methionine sulfoxide

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Methods

A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages, 63 (1996) 99

Microbes

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Microbial biomass

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Microbial non-ammonia-nitrogen

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Microbial-N yield

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Microscopy

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Mid lactation

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Milk

Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

Milk composition

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Milk fatty acids

Evaluation of a seal by-product meal as a feed-stuff for dairy cows, 63 (1996) 51

Milk flavour

Evaluation of a seal by-product meal as a feed-stuff for dairy cows, 63 (1996) 51

Milk urea

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Milk yield

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

Nutritive value of raw and extruded pea–rape-seed blends for ruminants, 65 (1997) 59

Millet

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Mineral balance

Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Mineral composition

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Mineral content

Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands, 66 (1997) 257

Mixed crop silage

Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Mixed diet

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Mixed silages

The effect of level of inclusion of the legume *Desmodium uncinatum* and the use of molasses or ground maize as additives on the chemical composition of grass– and maize–legume silages, 68 (1997) 295

MMC

Influence of duodenal infusion of L-methionine and L-methionine-dl-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves, 66 (1997) 75

Modelling

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Models

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

Moist heat treatment

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Molybdenum

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Monensin

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

Monosaccharide components

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Monosaccharides

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Moringa oleifera

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Multiphasic model

Multiphasic analysis of gas production kinetics for in vitro fermentation of ruminant feeds, 64 (1996) 77

Multipurpose trees

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Multipurpose tree species

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Mung beans

Mung beans (*Phaseolus aureus*) for finishing pigs, 66 (1997) 297

Mycotoxins

Mycotoxins, 69 (1997) 155

Prevention of aflatoxicosis in farm animals by means of hydrated sodium calcium aluminosilicate addition to feedstuffs: a review, 65 (1997) 197

¹⁵N

Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

NDF

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Near infrared reflectance spectroscopy

Leucaena forage analysis using near infrared reflectance spectroscopy, 64 (1996) 1

Near infrared calibration of chemical constituents of *Cajanus cajan* (pigeon pea) used as forage, 69 (1997) 201

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Near-infrared reflectance spectroscopy

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Near-infrared spectrometry

Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows, 68 (1997) 225

Nepal

Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97

Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37

Net energy

An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

Neutral detergent fiber

Digestion kinetics of neutral detergent fiber and chemical composition within some selected by-product feedstuffs, 67 (1997) 127

n-3 fatty acid

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Niacin

Effects of niacin on milk yield, milk composition, and blood components of dairy cows in hot weather, 64 (1996) 53

NIRS

Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS, 66 (1997) 211

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Nitrogen

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Digestibility of amino acids in protein rich tropical feeds for ruminants estimated with the mobile bag technique, 69 (1997) 271

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Nitrogen balance

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Nitrogen fertilization

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Nitrogen metabolism

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Nitrogen retention

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Nitrogen utilization

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

NMR

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Non-starch polysaccharides

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Nonstructural carbohydrate

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Northern Nigeria

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Nutrient recovery

Nutrient conservation of baled hay by sprayer application of feed grade fat with or without barn storage, 65 (1997) 1

Nutrient retention

Comparative response of broiler chicks to a high fibre diet supplemented with four antibiotics, 64 (1997) 337

Nutrients

Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves, 63 (1996) 211

Nutrient utilization

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Nutrition

An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Nutritional value

Nutritional evaluation of grain amaranth (*Amaranthus hypochondriacus*) in broiler diets, 63 (1996) 323

Nutritive value

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

Evaluation of the nutritive value of kudzu (*Pueraria lobata*) as a feed for ruminants, 68 (1997) 183

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded

pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

Nylon bag

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Chemical composition and degradability of *Brachystegia spiciformis* (musasa) leaves and stems harvested over 4 months from three sites in Zimbabwe, 69 (1997) 179

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Old World bluestem

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Oligonucleotide probe

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Oligosaccharides

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Omasum

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Orange peel

Ruminal digestion kinetics of citrus peel, 68 (1997) 247

Organic matter

In sacco degradation characteristics of organic matter, neutral detergent fibre and crude protein of fresh grass fertilized with different amounts of nitrogen, 63 (1996) 63

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Organic matter digestibility

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipelicolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Organic matter digestibility (OMD)

Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars, 68 (1997) 165

Organic matter digestibility prediction

The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage, 68 (1997) 235

Oryza sativa

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Oxidative stability

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

Oxidised oil

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Ozonated cotton stalks

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Palatability

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Pancreas

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Partially fried chips

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Particle size

Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Partitioning factor

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Passage

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Pasture

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Pasture evaluation

Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

Pea cultivar

The evaluation and enhancement of the nutritive value of yellow-, green- and brown-seeded pea cultivars for unpelleted diets given to broiler chickens, 63 (1996) 9

PEG

Nutritive evaluation of some browse species, 67 (1997) 181

Pelleting

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Pellet quality

Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25

Physical quality of pelleted animal feed. 2. contribution of processes and its conditions, 64 (1997) 173

Pennisetum clandestinum

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*) by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Pentosanase

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finisher pigs, 63 (1996) 187

Peppermint

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

Perennial peanut

Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

Perennial ryegrass

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

Performance

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Phenolic acids

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Phenolic compounds

Anatomical and histological factors affecting the ruminal degradation of stem tissues in *Bothriochloa* species, 67 (1997) 299

Phenolics

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Nutritive evaluation of some browse species, 67 (1997) 181

Phosphorus

The bio-availability of phosphorus from feed phosphates for broilers as influenced by bio-assay method, dietary Ca-level and feed form, 69 (1997) 329

Physical structure

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Phytate

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Pig

Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses, 68 (1997) 277

Piglet

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Piglets

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Pigs

An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs, 68 (1997) 89

Digestibility of dried and toasted peas in pigs.

1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs.

2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs, 66 (1997) 289

Effects of dietary inclusion of leucaena leaf meal with and without ferrous sulphate on the digestibility of dietary components and growth of pigs over the weight range 20-60 kg, 65 (1997) 45

Effects of gastric pH on the activity of exogenous pentosanase and the effect of pentosanase supplementation of the diet on the performance of growing-finishing pigs, 63 (1996) 187

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

The influence of α -galactosidase supplementation on the ileal digestibility of lupin seed carbohydrates and dietary protein in young pigs, 67 (1997) 115

Pipecolic acid

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Pisum sativum

Digestibility of dried and toasted peas in pigs.

1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs.

2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Plane of nutrition

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Plant materials

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Plasma characteristics

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Plasma urea

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Polyethylene glycol

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, pipecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Polyethylene glycol (PEG)

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Polyphenolics

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Polysaccharides

Carbohydrate and lignin contents of plant materials used in animal feeding, 67 (1997) 319

Poultry

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Poultry feeding

Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Poultry litter

The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Poultry meat

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Poultry offal

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Praseodymium

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Prediction of dry matter intake

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Prediction of liveweight gain

The prediction of dry matter intake of temperate and tropical roughages from in vitro digestibility/gas-production data, and the dry matter intake and in vitro digestibility of African roughages in relation to ruminant liveweight gain, 69 (1997) 131

Pre-ensiling physical constitution

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Proanthocyanidins

Chemical composition and relationship to in vitro gas production of Zimbabwean browsable indigenous tree species, 69 (1997) 121

Probiotic yeast

Effects of a probiotic yeast in lactating ruminants: interaction with dietary nitrogen level, 63 (1996) 149

Propylene glycol

Effects of feeding propylene glycol to mid-lactating dairy cows, 64 (1996) 43

Protease

Effects of protease inhibitors on degradation of $H_3[^{14}C]$ -casein by ruminal microorganisms, 64 (1997) 113

Protection

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

Protein

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Digestibility of dried and toasted peas in pigs. 2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Protein degradability

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Protein digestion

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Protein meals

The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes, 63 (1996) 229

Protein-rich supplements

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Protein source

Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Protein supplementation

The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows, 66 (1997) 165

The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage, 68 (1997) 139

Protein—swine

Statistical evaluation of the discrepancy between analysed and formulated crude protein content in commercial feed mixtures for pigs, 65 (1997) 207

Protein value

Appropriate methods for the evaluation of tropical feeds for ruminants, 69 (1997) 53

Nutritive value of raw and extruded pea-rape-seed blends for ruminants, 65 (1997) 59

Proteolysis

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Protozoa

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Proximate analysis

Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Purine derivatives

Purine derivatives excretion in lactating ewes fed straw diets with different levels of fish meal, 63 (1996) 341

Quail

Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail, 65 (1997) 287

Quebracho tannins

Assessment of the nutritive value of *Calliandra calothyrsus*: in sacco degradation and in vitro gas production in the presence of Quebracho tannins with or without Browse Plus, 69 (1997) 219

Quebracho tannins with or without Browse Plus (a commercial preparation of polyethylene glycol) in sheep diets: effect on digestibility of nutrients in vivo and degradation of grass hay in sacco and in vitro, 69 (1997) 67

Quinoa germ

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Quinoa grain

Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5

Rabbit

Prediction of the energy value of rabbit feeds varying widely in fibre content, 64 (1996) 61

Rabbits

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Raffinose oligosaccharides

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Rate of passage

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Rats

Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Recycled urea

Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet, 68 (1997) 327

Redgram

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Red Sokoto goats

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Response surface analysis

Response surface analyses of the associative effects of lucerne hay, wheat straw and maize gluten feed on growing lambs, 67 (1997) 279

Rhodes grass

Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87

The effect of feeding level on intake and digestibility of Rhodes grass (*Chloris gayana*, cv Kunth) by dairy cows, 66 (1997) 181

Rice bran

Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens, 66 (1997) 47

Rice straw

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes, 63 (1996) 229

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

Roughage to concentrate ratio

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Rumen

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Degradation of methionine by rumen contents in vitro and efficiency of its protection, 67 (1997) 339

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Effects of diphenyliodonium chloride on proteolysis and leucine metabolism by rumen microorganisms, 65 (1997) 139

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 259

Nutritive value of raw and extruded pea-rapeseed blends for ruminants, 65 (1997) 59

Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake, 64 (1997) 143

Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

The influence of elephant-grass (*Pennisetum purpureum* Schum., Mineiro variety) growth on the nutrient kinetics in the rumen, 67 (1997) 151

The use of Ca salts of rape seed fatty acids to protect protein against degradation in the rumen, 65 (1997) 265

Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses, 66 (1997) 111

Rumen bacteria

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Rumen degradability

Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115

Rumen-degradable protein

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Rumen degradation

In-vitro assessment of fat supplements for ruminants, 64 (1997) 127

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

Rumen fermentation

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Effects of the synchronization of the rate of carbohydrates and nitrogen release of the concentrate on rumen fermentation, plasma metabolites and insulin, in the dry pregnant goat, 63 (1996) 163

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources, 63 (1996) 333

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Rumen fermentation, nutrient flow to the duodenum and digestibility in bulls fed calcium soaps of rapeseed fatty acids and soya bean meal coated with calcium soaps, 69 (1997) 289

Rumen manipulation

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Rumen metabolism

Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Rumen microorganisms

Effects of protease inhibitors on degradation of $H_3[^{14}C]$ -casein by ruminal microorganisms, 64 (1997) 113

The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27

Rumen pH

Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Ruminal availability

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Ruminal characteristics

Effect of dietary protein source on performances and rumen characteristics of dairy cows, 68 (1997) 339

Ruminal degradation

Variation in ruminal degradation and intestinal digestion of animal byproduct proteins, 63 (1996) 1

Ruminal degradation kinetics

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Ruminal fermentation

Digestion of fresh perennial ryegrass fertilized at two levels of nitrogen by lactating dairy cows, 64 (1997) 155

Ruminal hydrogenation

Effect of feeding different fat supplements on the fatty acid composition of goat milk, 66 (1997) 159

Ruminal turnover

Evaluation of praseodymium as a liquid marker in rumen turnover studies, 63 (1996) 201

Ruminant

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Grass maturity effects on cattle fed silage-based diets. 1. Organic matter digestion, rumen fermentation and nitrogen utilization, 67 (1997) 1

Grass maturity effects on cattle fed silage-based diets. 2. Cell wall digestibility, digestion and passage kinetics, 67 (1997) 19

Rumen availabilities of nonstructural carbohydrate and protein estimated from in situ incubation of ingredients versus diets, 63 (1996) 257

Ruminant production

Recent work on the production and utilization of tree fodder in East Africa, 69 (1997) 39

Ruminants

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Dietary factors affecting entero—hepatic function of ruminants in the tropics, 69 (1997) 79

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Mycotoxins, 69 (1997) 155

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

- The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35
- The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle, 68 (1997) 11
- Saccharomyces cerevisiae***
Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289
- Salicornia***
Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137
- Salicornia meal**
Nutrient composition and feeding value of *Salicornia bigelovii* torr meal in broiler diets, 65 (1997) 257
- Salseed meal**
Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215
- Sample preservation**
Methods of field preservation and selection of sample tissue for condensed tannin analysis in *Leucaena* species, 68 (1997) 353
- Saponins**
Effect of dietary inclusion of quinoa on broiler growth performance, 65 (1997) 5
- Seal meal**
Evaluation of a seal by-product meal as a feed-stuff for dairy cows, 63 (1996) 51
- Season**
Effects of age and season on growth and nutritive value of Rhodes grass (*Chloris gayana* cv. Kunth), 65 (1997) 87
- Secondary plant compounds**
Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1
- Sepiolite**
Effect of a sepiolite product on pellet durability in pig diets differing in particle size and in broiler starter and finisher diets, 63 (1996) 25
- Sesbania sesban***
Effect of multipurpose tree (MPT) supplements on ruminal ciliate protozoa, 67 (1997) 169

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99
- Sesbania* sp.**
The role of legume forages as supplements to low quality roughages — ILRI experience, 69 (1997) 27
- Sheep**
Assessment using sheep of the nutritive value of liquid potato feed and partially fried potato chips (french fries), 64 (1997) 243

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep

receiving different energy sources, 63 (1996) 333

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Peppermint (*Mentha piperita* Huds.) and basil (*Ocimum basilicum* L.) etheric oil by-products as roughages for sheep feeding, 68 (1997) 287

The effects of short-term and long-term monensin supplementation, and its subsequent withdrawal on digestion in sheep, 65 (1997) 113

The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Shrublands

Determination of marker chromic oxide in faeces of grazing goats on Mediterranean shrublands by AAS, 67 (1997) 163

Shrubs

Browse foliage and annual legume pods as supplements to wheat straw for sheep, 66 (1997) 85

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Intake, digestion, and nitrogen balance of sheep fed shrub foliage and medic pods as a supplement to wheat straw, 65 (1997) 183

Silage

Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage, 68 (1997) 307

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Nutritional improvement of maize silage for dairying: mixed-crop silages from sole and intercropped legumes and a long season variety of maize. 1. Biomass yield and nutritive value, 69 (1997) 241

The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid, 66 (1997) 15

The effect of intraruminal infusions of amines and gamma amino butyric acid on rumen fermentation parameters and food intake of steers offered grass silage, 63 (1996) 35

The rate and extent of cell-wall degradation in vitro for 40 silages varying in composition and digestibility, 63 (1996) 111

Silage additive

A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice, 66 (1997) 129

Digestibility by sheep of direct cut alfalfa silage made with ozonated cotton stalks, 67 (1997) 311

Silage dry matter

A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water, 68 (1997) 67

Simulation model

Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum, 68 (1997) 259

Siratro

Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab purpureus* cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 weeks of growth (pre-anthesis), 69 (1997) 167

Small intestinal AA availability

A comparative study on amino acid availability of moist heated canola meal for poultry vs. ruminants, 63 (1996) 179

Sodium hydroxide

In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129

Solubility

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Sorghum alnum

Ensiling quality of columbus grass (*Sorghum alnum*) grown in northern Nigeria, 68 (1997) 153

Southern Mexico

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Soybean meal

Nitrogen retention in pigs given diets containing cottonseed meal or soybean meal, 67 (1997) 205

Species

Forage quality of native pastures in a Mediterranean area, 69 (1997) 315

Studies on in situ degradation of feeds in the rumen: 1. Effect of species, bag mobility and incubation sequence on dry matter disappearance, 64 (1997) 227

Splanchnic fluxes

Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa, 66 (1997) 271

Stalk quality

In situ degradation kinetics of maize hybrid stalks, 68 (1997) 77

Starch

Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition, 66 (1997) 97

Microbial amino acid yield from in vitro incubation of cellulose or starch with rumen fluid, 67 (1997) 37

The digestibility of carbohydrates, protein and fat in the small and large intestine of piglets fed non-supplemented and enzyme supplemented diets, 65 (1997) 15

Starch digestion

Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation, 68 (1997) 25

Straw

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Suaeda

Growth performance of lambs fed mixed diets containing halophyte ingredients, 63 (1996) 137

Sugar-beet pulp

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities, 66 (1997) 1

Sugarbeet Pulp

Substitution of sugarbeet pulp for alfalfa hay in diets for growing rabbits, 65 (1997) 249

Sugarcane molasses

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

Sulphur

The effect of dietary molybdenum supplementation on tissue copper concentrations, mohair fibre and carcass characteristics of growing Angora goats, 67 (1997) 83

Sun-dried cassava peel

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Supplementation

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects

of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

Recent research on forage utilization by ruminant livestock in South Africa, 69 (1997) 103

The catalytic effect of supplementation of protein meals on utilization of rice straw-poultry droppings-rice bran diet in buffaloes, 63 (1996) 229

The effect of supplementation of legume straws on utilisation of rice straw-poultry droppings-rice bran-fish meal based diet in buffaloes, 69 (1997) 305

The effects of supplementary Chinese milk vetch silage on the growth rate of cattle and their intake of ammoniated rice straw, 65 (1997) 79

The use of groundnut hay as a supplement for sheep consuming poor quality natural pasture hay, 69 (1997) 17

Use of an in vitro gas production method to investigate interactions between veld hay and Napier hay or groundnut hay supplements, 67 (1997) 265

Supplement diet

Effects of graded levels of sun-dried cassava peels in supplement diets fed to Red Sokoto goats in first trimester of pregnancy, 67 (1997) 197

Supplement source

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Supply pattern

The effect of protein supplement source or supply pattern on the intake, digestibility, rumen kinetics, nitrogen utilisation and growth of Ethiopian Menz sheep fed teff straw, 64 (1996) 11

Sweet lupin seed meal and fractions

Mineral balance of rats fed on diets containing sweet lupin (*Lupinus angustifolius* L.) or its fractions, 65 (1997) 231

Sweet potato performance

Effects of replacement of maize with dried leaves of sweet potato (*Hypomoea batatas*) and perennial peanuts (*Arachis glabrata* Benth) on the growth performance of finishing broilers, 66 (1997) 283

Swine

Effect of borage meal on nutrient digestibility and performance of ruminants and pigs, 64 (1997) 273

Tannery fleshings

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases, 66 (1997) 139

Tannin

Effects of salseed (*Shorea robusta*) tannins, restricted feed intake and age on relative pancreas weight and activity of digestive enzymes in male broilers, 65 (1997) 215

Tannins

Assessment of the nutritive value of *Calliandra calothyrsus*: its chemical composition and the influence of tannins, picecolic acid and polyethylene glycol on in vitro organic matter digestibility, 69 (1997) 207

Effect of *Acacia cyanophylla* Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets, 68 (1997) 101

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Tanzania

Promising tropical grasses and legumes as feed resources in Central Tanzania. II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Tapioca

The feasibility of replacement of grain by tapioca in diets for growing-fattening cattle, 64 (1997) 133

Tayassu peccari

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

Tayassu tajacu

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

TBARS

Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks, 66 (1997) 149

Time

Effects of calcium source, particle size and time on in-vitro calcium solubility of some indigenous Nigerian mineral ingredients for poultry diets, 65 (1997) 293

Tissue

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

Toasting

Digestibility of dried and toasted peas in pigs.
1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs.
2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Tobacco

Lime treatment of agricultural residues to improve rumen digestibility, 68 (1997) 195

 α -Tocopherol

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Total tract digestibility

Digestibility of dried and toasted peas in pigs.
1. Ileal and total tract digestibilities of carbohydrates, 64 (1997) 293

Digestibility of dried and toasted peas in pigs.
2. Ileal and total tract digestibilities of amino acids, protein and other nutrients, 64 (1997) 311

Toxicity

Toxicity, tissue accumulation and residue in egg and excreta of copper in laying hens, 67 (1997) 49

Tree fodder

Indigenous knowledge of the feeding value of tree fodder, 67 (1997) 97

Indigenous knowledge of the feeding value of tree fodder, 68 (1997) 37

Tree fodders

Recent work on the establishment, production and utilization of multipurpose trees as a feed resource in Zimbabwe, 69 (1997) 1

Tree legumes

Effects of supplementation with foliage from the tree legumes *Acacia angustissima*, *Cajanus cajan*, *Calliandra calothyrsus* and *Leucaena leucocephala* on feed intake, digestibility and nitrogen metabolism of sheep given maize stover ad libitum, 69 (1997) 233

Trees

Fodder shrub and tree species in the Highlands of southern Mexico, 68 (1997) 213

Trichomes

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Tropical

Dietary factors affecting entero-hepatic function of ruminants in the tropics, 69 (1997) 79

Promising tropical grasses and legumes as feed resources in Central Tanzania. II. In sacco rumen degradation characteristics of four grasses and legumes, 69 (1997) 341

Tropical forages

Application of non-linear models in the description of in situ degradation profiles of the elephant grass (*Pennisetum purpureum* Schum., Mineiro variety), 66 (1997) 197

Rumen manipulation for the improved utilization of tropical forages, 69 (1997) 91

Tropical grasses

Prediction of the in vitro gas production dynamics of kikuyu grass (*Pennisetum clandestinum*)

by near-infrared reflectance spectroscopy using spectrally-structured sample populations, 69 (1997) 281

Tropical legumes

Nutritional improvement of maize silage for dairying: mixed crop silages from sole and intercropped legumes and a long season variety of maize. 2. Ensilage, 69 (1997) 263

Tropics

The ensiling of poultry offal with sugarcane molasses and *Lactobacillus* culture for feeding to growing/finishing pigs under tropical conditions, 67 (1997) 213

True digestibility

In vitro rumen apparent and true digestibilities of tannin-rich forages, 67 (1997) 245

Trypsin inhibitor

Chemical composition and effect of heat on organic matter- and nitrogen-degradability and some antinutritional components of *Jatropha* meal, 67 (1997) 223

Turnover

Description of gas production profiles with a three-phasic model, 66 (1997) 31

Turnover time

Effect of concentrates in a hay diet on the contribution of anaerobic fungi, protozoa and bacteria to nitrogen in rumen and duodenal digesta in sheep, 64 (1997) 193

Ultrastructure

Effect of silica on the colonization of rice straw by ruminal bacteria, 65 (1997) 165

Urea

Feeding napier hay as supplement to sheep given poor quality natural pasture hay: effects of level of napier hay supplement and inclusion of urea in the basal diet on intake and digestibility, 63 (1996) 123

In vivo digestibility of treated and untreated barley straw: results of direct and by-difference digestibility trials, 65 (1997) 129

Urea molasses mineral block

Nutrient utilization and rumen fermentation pattern in crossbred cattle fed different planes of

nutrition supplemented with urea molasses mineral block, 64 (1997) 101

Urea-molasses-mineral block

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Urea-treated olive cake

Supplementary feeding value of urea-treated olive cake when fed to growing Awassi lambs, 64 (1997) 287

Urea treatment

Dried lemon as energetic supplement of diet based on urea-treated barley straw: effects on intake and digestibility in goats, 63 (1996) 89

Effect of ammonia and urea treatments on digestibility and nitrogen content of dehydrated lucerne, 67 (1997) 69

Urinary allantoin

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

Urinary urea

The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows, 64 (1996) 27

UV microspectrophotometry

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Vegetative phases

In-situ disappearance and content of *p*-coumaric and ferulic acid in lucerne from various vegetative stages, 67 (1997) 141

Vinasse

Use of cane condensed molasses solubles in feeding broilers, 67 (1997) 253

Vitamin E

Influence of oilseeds in combination with vitamin E supplementation in the diet on backfat quality of pigs, 64 (1997) 91

The effects of dietary α -tocopherol and oxidised lipid on post-thaw drip from catfish muscle, 65 (1997) 35

Volatile fatty acids

Microbiological evaluation of *Acacia angustissima* as a protein supplement for sheep, 65 (1997) 99

Rumen fermentation, bacterial and total volatile fatty acid (TVFA) production rates in cattle fed on urea-molasses-mineral block licks supplement, 65 (1997) 275

Washing procedure

Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues, 68 (1997) 115

Wheat

The effect of a wheat-fat-interaction on the efficacy of a multi-enzyme preparation in broiler chickens, 68 (1997) 55

Wheat grain

The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain, 66 (1997) 247

White-lipped peccary

Digestive utilization of concentrated and fibrous diets by two peccary species (*Tayassu peccari*, *Tayassu tajacu*) raised in French Guyana, 64 (1997) 215

White rot fungi

Biological delignification of plant components by the white rot fungi *Ceriporiopsis subvermispora* and *Cyathus stercoreus*, 63 (1996) 305

Whit-rot fungi

Colonization of crop residues by white-rot fungi: cell wall monosaccharides, phenolic acids, ruminal fermentation characteristics and digestibility of cell wall fiber components in vitro, 63 (1996) 273

Whole barley

Changes in extract viscosity, amino acid content, and soluble and insoluble β -glucan and dietary fibre content of barley during different high moisture storage conditions, 64 (1997) 257

Wild ungulates

Nutritive value of indigenous browse in Africa in relation to the needs of wild ungulates, 69 (1997) 143

Wilted

Palatability of wilted and dried multipurpose tree species fed to sheep and goats, 65 (1997) 151

Winter oats

The effect of stage of harvest on the process of digestion in cattle fed winter oats indoors. II. Nitrogen digestion and microbial protein synthesis, 63 (1996) 245

Yeast

Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation, 63 (1996) 289

Yeast culture

Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*¹⁰²⁶) on digestion and the environment in the rumen of cattle, 64 (1997) 327

Zinc

Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep, 66 (1997) 237

Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep, 66 (1997) 223

